



NOTE: Not all widths are available as standard for the stock color/legend combinations shown. Contact Christy's<sup>™</sup> for stock availability of specific products. Non-stock combinations are subject to minimum requirements and plate charges.

#### T. Christy Enterprises, Inc.

655 E. Ball Rd. • Anaheim, CA 92805 Tel: (714) 507-3300 • Fax: (714) 507-3310 www.TChristy.com • 800-BLU-GLUE

# **Christy's Detectable Marking Tape**

Our DETECTABLE marking tape provides for easy buried pipeline detection and below ground identification and warning. The tape can be located below ground with a non-ferrous metal detector when buried at the proper depths. All Christy's tape meets or exceeds the industry standards including the American Public Works Association (APWA) color code.

#### TAPE MUST BE BURIED FLAT FOR MAXIMUM DETECTABILITY AND LINE PROTECTION. Consult your specific locator manufacturer for burial limitations.

Tape Width	Tape Bury Depth
2"	6" - 18"
3"	6'' - 28''
6''	6" - 36"
12" or wider	6" - 36"

#### **SPECIFICATIONS**

 Christy's<sup>™</sup> DETECTABLE marking tape consists of a 5.0 mil (0.005") thickness; five-ply composition; ultra-high molecular weight; 100 percent virgin polyethylene; acid, alkaline and corrosion resistant.

- The tape tensile strength is in accordance with ASTM D882-80A and will not be less than 7800 PSI.
- Elongation properties are in accordance with ASTM D882-80A and are less than 150% at break point.
- Tape color & legend combination will be in accordance with APWA or local requirements.
  The color is
  The legend reads

• Tape is 5 mil overall thickness, with a .35 mil solid aluminum foil core. A .8 mil clear film, reverse printed with a repeating warning message is laminated to aluminum foll with a 3.75 mil clear film backing.

• Tape width shall be \_\_\_\_\_\_. (For best results we recommend a tape width at least <sup>3</sup>/<sub>4</sub> of the diameter of the pipeline being protected. A 4" diameter line would use 3" or wider tape for optimum protection). Standard widths are 2", 3", 6", & 12".

• Tape lettering shall be 1" tall on 2" detectable tape and 1.5" tall on 3"- 12" tape.

#### SPECIAL AND CUSTOM LEGENDS

Christy's<sup>™</sup> offers a full range of non-standard tapes, including specialty applications such as Telemetry, Irrigation and additional water line wording. All standard combinations listed are available in at least one color/width combination. We offer specific agency legends, designations or color combinations. Custom legends can include the use of specific wording, insignias and phone numbers. Call for special pricing. AUGUST 2016 LIT-4031





DETECTABLE & NON-DETECTABLE MARKING TAPE

NOTE: Not all widths are available as standard for the stock color/legend combinations shown. Contact Christy's<sup>™</sup> for stock availability of specific products. Non-stock combinations are subject to minimum requirements and plate charges.

T. Christy Enterprises, Inc.

655 E. Ball Rd. • Anaheim, CA 92805 Tel: (714) 507-3300 • Fax: (714) 507-3310 www.TChristy.com • 800-BLU-GLUE

## How To Order Marking Tapes Standard Color/Legend Combinations

Type of Tape	Width of Tape	Colors	Legend Code	
DT - Detectable ND - Non-Detectable	2 - 2" 3 - 3" 6 - 6" 12 - 12"	0 - Orange	CP - Cathodic Protection CTV - Cable TV E - Electric F - Fire FM - Force main FO - Fiber Optic G - Gas IRR - Irrigation NPW - Non-Potable Water NS - Hydrant Not in Service	PL - Pipeline PW - Potable Water RAW - Raw Water RJ - Restrained Joint RW - Reclaimed Water S -Sewer STDR - Storm Drain TEL - Telephone W - Water

### STANDARD COLOR/LEGEND COMBINATIONS

Color	Legend Code	Printed Text on Tape	
Blue	BIRR	"Caution Irrigation Line Buried Below"	
Blue	BNPW	"Caution Non-Potable Water Line Buried Below"	
Blue	BPW	"Caution Potable Water Line Buried Below"	
Blue	BRJ	"Caution Restrained Joint Buried Below"	
Blue	BRW	"Caution Raw Water Buried Below"	
Blue	BW	"Caution Water Line Buried Below"	
Brown	BRFM	"Caution Force Main Buried Below"	
Green	GFM	"Caution Force Main Buried Below"	
Green	GIRR	"Caution Irrigation Line Buried Below"	
Green	GNPW	"Caution Non-Potable Line Buried Below"	
Green	GPW	"Caution Potable Line Buried Below"	
Green	GRAW	"Caution Raw Water Line Buried Below"	
Green	GS	"Caution Sewer Line Buried Below "	
Green	GSTDR	"Caution Storm Drain Buried Below"	
Orange	OFO	"Caution Fiber Optic Line Buried Below"	
Orange	OTEL	"Caution Telephone Line Buried Below"	
Orange	OCP	"Caution Cathodic Protection Cable Buried Below"	
Orange	OCTV	"Caution Cable TV Line Buried Below"	
Orange	ONS	"Caution Hydrant Not in Service Line Buried Below"	
Purple	PIRR	"Caution Irrigation Line Buried Below"	
Purple	PRW	"Caution Recycled/Reclaimed Water Line Buried Below"	
Purple	PNPW	"Caution Non-Potable Line Buried Below"	
Red	RE	"Caution Electric Line Buried Below"	
Red	RCP	"Caution Cathodic Protection Cable Buried Below""	
Red	RF	"Caution Fire Line Buried Below"	
Yellow	YE	"Caution Electric Line Buried Below"	
Yellow	YG	"Caution Gas Line Buried Below"	
Yellow	YCP	"Caution Cathodic Protection Buried Below"	
Yellow	YPL	"Caution Pipeline Buried Below"	





DETECTABLE & NON-DETECTABLE MARKING TAPE

NOTE: Not all widths are available as standard for the stock color/legend combinations shown. Contact Christy's<sup>™</sup> for stock availability of specific products. Non-stock combinations are subject to minimum requirements and plate charges.

T. Christy Enterprises, Inc.

655 E. Ball Rd. • Anaheim, CA USA 92805 Tel: (714) 507-3300 • Fax: (714) 507-3310 www.TChristy.com • 800-BLU-GLUE

### **Marking Tapes** Detectable Marking Tapes ordering information

Size	Color	Description	Part No.
2" x 1000'	BLUE	Potable Water	TA.DT.2.BPW
2" x 1000'	BLUE	Water Line	TA.DT.2.BW
2" x 1000'	GREEN	Force Main	TA.DT.2.GFM
2" x 1000'	GREEN	Sewer Line	TA.DT.2.GS
2" x 1000'	GREEN	Storm Drain	TA.DT.2.GSTDR
2" x 1000'	ORANGE	Fiber Optic	TA.DT.2.0F0
2" x 1000'	ORANGE	Telephone	TA.DT.2.OTEL
2" x 1000'	PURPLE	Irrigation Line	TA.DT.2.PIRR
2" x 1000'	PURPLE	Recycled/Reclaimed Water	TA.DT.2.PRW
2" x 1000'	RED	Electrical Line	TA.DT.2.RE
2" x 1000'	YELLOW	Gas Line	TA.DT.2.YG
3" x 1000'	BLUE	Potable Water	TA.DT.3.BPW
3" x 1000'	BLUE	Irrigation Water	TA.DT.3.BIRR
3" x 1000'	BLUE	Raw Water	TA.DT.3.BRAW
3" x 1000'	BLUE	Water Line	TA.DT.3.BW
3" x 1000'	GREEN	Force Main	TA.DT.3.GFM
3" x 1000'	GREEN	Irrigation	TA.DT.3.GIRR
3" x 1000'	GREEN	Sewer Line	TA.DT.3.GS
3" x 1000'	GREEN	Storm Drain	TA.DT.3.GSTDR
3" x 1000'	ORANGE	Fiber Optic	TA.DT.3.0F0
3" x 1000'	ORANGE	Telephone	TA.DT.3.OTEL
3" x 1000'	PURPLE	Non-Potable Water	TA.DT.3.PNPW
3" x 1000'	PURPLE	Recycled/Reclaimed Water	TA.DT.3.PRW
3" x 1000'	RED	Cathodic Protection	TA.DT.3.RCP
3" x 1000'	RED	Electrical Line	TA.DT.3.RE
3" x 1000'	RED	Fire Line	TA.DT.3.RF
3" x 1000'	RED	Raw Water	TA.DT.3.RRAW
3" x 1000'	YELLOW	Gas Line	TA.DT.3.YG
6" x 1000'	BLUE	Irrigation Line	TA.DT.6.BIRR
6" x 1000'	BLUE	Water	TA.DT.6.BW
6" x 1000'	GREEN	Force Main	TA.DT.6.GFM
6" x 1000'	GREEN	Irrigation Line	TA.DT.6.GIRR
6" x 1000	GREEN	Sewer Line	TA.DT.6.GS
6" x 1000'	GREEN	Storm Drain	TA.DT.6.GSTDR
6" x 1000'	ORANGE	Fiber Optic	TA.DT.6.0F0
6" x 1000'	PURPLE	Recycled/Reclaimed Water	TA.DT.6.PRW
6" x 1000	RED	Cathodic Protection	TA.DT.6.RCP
6" x 1000	RED	Electrical Line	TA.DT.6.RE
6" x 1000'	RED	Fire Line	TA.DT.6.RF
6'' x 1000'	YELLOW	Gas Line	TA.DT.6.YG
12" x 1000'	BLUE	Water	TA.DT.12.BW
12" x 1000'	GREEN	Force Main	TA.DT.12.GFM
12" x 1000'	GREEN	Storm Drain	TA.DT.12.GSTDR
12" x 1000'	GREEN	Sewer Line	TA.DT.12.GS
12" x 1000'	PURPLE	Recycled/Reclaimed Water	TA.DT.12.PRW

\* Custom options available. Call for details.