QO132M100P

Load center, QO, 1 phase, 32 spaces, 38 circuits, 100A convertible main breaker, PoN, NEMA1, UL



Main

Marketing Trade Name	QO
Product Type	Load Center

Complementary

Cover 20 lb.in	
Main breaker	
100 A	
32	
22 kA	
38	
6	
1 phase	
Grounding bar (ordered separately)	
8	
26.04 in (661.42 mm)	
14.25 in (361.95 mm)	
3.75 in (95.25 mm)	
	Main breaker 100 A 32 22 kA 38 6 1 phase Grounding bar (ordered separately) 8 26.04 in (661.42 mm) 14.25 in (361.95 mm)

Environment

Enclosure Rating	NEMA 1 indoor
Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
Product Certifications	UL Listed

Ordering and shipping details

Category	10001 - QO PON 1PH LC,12-60 CKT, MB N1	
Discount Schedule	DE3A	
GTIN	00785901611271	
Nbr. of units in pkg.	1	
Package weight(Lbs)	1 lb(US) (0.45 kg)	
Returnability	Yes	

Offer Sustainability

EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₫Yes
China RoHS Regulation	China RoHS Declaration