

MegaPress FKM



2.3

MegaPress FKM

Viega MegaPress FKM is the first and only clean, secure and efficient choice for joining ½" to 4" carbon steel pipe with an FKM sealing element (formerly known as MegaPress XL for sizes 2½" to 4"). Meticulously engineered, it is suitable for renovations, repairs or installation of new carbon steel pipe systems. Viega MegaPress FKM can even be installed on noncombustible/flammable lines that are not completely shut down, eliminating the need to fully drain a system, and shortening repair and installation time. It is approved for use in hydronic heating, compressed air, fire protection, cooling water, marine applications and many more. Not approved for use with potable water.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe (can be used on higher schedule pipe, but limited to maximum pressure listed)
- Corrosion-resistant zinc nickel coating
- Over 180 engineered fitting configurations from ½" to 4"
- Approved for underground applications, in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Viega Smart Connect technology provides installers added confidence in their ability to ensure the integrity of connections
- UL and FM listed for fire-protection applications
- Not approved for use with schedule 10 ½" to 1" pipe where UMC codes apply

CODES AND STANDARDS

- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Service Piping
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Solar, Hydronics and Geothermal Code (USHGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Residential Code (IRC)
- NFPA 13: Standard for the Installation of Sprinkler Systems
- NFPA 13D: Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes
- NFPA 13R: Standard for the Installation of Sprinkler Systems in Low-Rise Residential Occupancies

LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- BV: Bureau Veritas Type Approval
- Canadian Registration Number (CRN): 14541.5 A/B/C
- DNV GL: Det Norske Veritas Germanischer Lloyd Type Approval
- FM Class 1920: Pipe Couplings and Fittings for aboveground Fire Protection Systems
- IAPMO PS-117: Press and Nail Connections
- ICC-ES LC1002: Press-Connection Fittings for Potable Water Tube and Radiant Heating Systems
- LR: Lloyd's Register Type Approval

- RINA: Registro Italiano Navale
- UL /ANSI 213: Standard for Rubber Gasketed Fittings for Fire-Protection Service
- ULC/ANSI ORD-C213: Canadian Standard for Rubber Gasketed Fittings for Fire-Protection Service
- United States Coast Guard Acceptance Letter 2019-3650

NOTE

A white dot on a Viega MegaPress fitting indicates Smart Connect technology with an FKM sealing element.

Index

Elbows	96
Tees	97
Adapters	98
Flanges	99
Caps	100
Unions	100
Couplings	100
Reducers	101
Valves	101
Tools	102
Accessories	103

Elbows



New

**Viega MegaPress 90° elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Model 5916

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.381	10	84305	12
3/4	3/4	0.520	10	84310	12
1	1	0.829	5	84315	12
1 1/4	1 1/4	1.303	1	84320	12
1 1/2	1 1/2	1.772	1	84325	12
2	2	2.557	1	84330	12



**Viega MegaPress 90° elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4816XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.670	1	26500	12
3	3	4.576	1	26505	12
4	4	7.227	1	26510	12



New

**Viega MegaPress 90° street elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

FKM sealing element

Model 5916.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.395	10	84875	12
3/4	3/4	0.522	10	84880	12
1	1	0.831	5	84885	12
1 1/4	1 1/4	1.322	1	84890	12
1 1/2	1 1/2	1.798	1	84895	12
2	2	2.596	1	84900	12



**Viega MegaPress 90° street elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4816.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.570	1	26515	12
3	3	4.214	1	26520	12
4	4	7.189	1	26525	12



New

**Viega MegaPress 45° elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Model 5926

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.315	10	84335	12
3/4	3/4	0.423	10	84340	12
1	1	0.661	5	84345	12
1 1/4	1 1/4	1.069	1	84350	12
1 1/2	1 1/2	1.431	1	84355	12
2	2	1.975	1	84360	12



**Viega MegaPress 45° elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4826XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.830	1	26530	12
3	3	3.418	1	26535	12
4	4	5.338	1	26540	12



New

**Viega MegaPress 45° street elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

FKM sealing element

Model 5926.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.320	10	84905	12
¾	¾	0.423	10	84910	12
1	1	0.683	5	84915	12
1¼	1¼	1.071	1	84920	12
1½	1½	1.437	1	84925	12
2	2	2.138	1	84930	12



**Viega MegaPress 45° street elbow
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4826.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.707	1	26545	12
3	3	3.165	1	26550	12
4	4	5.259	1	26555	12

Tees



New

**Viega MegaPress tee
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Model 5918

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.527	5	84365	12
¾	¾	½	0.650	5	84410	12
¾	¾	¾	0.701	5	84370	12
1	1	½	0.923	5	84415	12
1	1	¾	0.970	5	84420	12
1	1	1	1.045	5	84375	12
1¼	1¼	½	1.380	1	84380	12
1¼	1¼	¾	1.426	1	84385	12
1¼	1¼	1	1.499	1	84390	12
1¼	1¼	1¼	1.657	1	84395	12
1½	1½	½	1.794	1	84425	12
1½	1½	¾	1.843	1	84430	12
1½	1½	1	1.915	1	84435	12
1½	1½	1¼	2.070	1	84440	12
1½	1½	1½	2.191	1	84400	12
2	2	½	2.451	1	84445	12
2	2	¾	2.488	1	84450	12
2	2	1	2.565	1	84455	12
2	2	1¼	2.729	1	84460	12
2	2	1½	2.843	1	84465	12
2	2	2	2.993	1	84405	12



ViEga MegaPress tee

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4818XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	2.755	1	26575	12
2½	2½	2	3.570	1	26580	12
2½	2½	2½	3.672	1	26560	12
3	3	1¼	3.498	1	26595	12
3	3	1½	3.747	1	26590	12
3	3	2	4.576	1	26585	12
3	3	2½	4.247	1	26600	12
3	3	3	4.739	1	26565	12
4	4	1½	5.413	1	26605	12
4	4	2	5.453	1	26610	12
4	4	2½	5.640	1	26615	12
4	4	3	6.198	1	26620	12
4	4	4	7.818	1	26570	12



New

ViEga MegaPress tee

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components

FKM sealing elements

Model 5917.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.628	5	84545	12
¾	¾	¾	0.655	5	84550	12
1	1	½	0.901	5	84555	12
1	1	¾	0.915	5	84560	12
1¼	1¼	½	1.349	1	84575	12
1¼	1¼	¾	1.351	1	84570	12
1¼	1¼	1	1.499	1	84565	12
1½	1½	½	1.776	1	84580	12
1½	1½	¾	1.787	1	84585	12
1½	1½	1	1.979	1	84590	12
2	2	½	2.430	1	84595	12
2	2	¾	2.451	1	84600	12
2	2	1	2.623	1	84605	12



ViEga MegaPress tee

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components

FKM sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4817.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.440	1	26625	12
3	3	¾	3.015	1	26630	12
4	4	¾	4.434	1	26635	12

Adapters



New

ViEga MegaPress adapter

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, male pipe thread

Components

FKM sealing element

Model 5911

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.236	10	84245	12
¾	¾	0.324	10	84250	12
1	1	0.496	5	84255	12
1¼	1¼	0.818	1	84260	12
1½	1½	1.093	1	84265	12
2	2	1.439	1	84270	12



ViEga MegaPress adapter

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, male pipe thread

Components

FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4811XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.895	1	26640	12
3	3	2.314	1	26645	12
4	4	4.020	1	26650	12



New

**Viega MegaPress adapter
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components
FKM sealing element

Model 5912

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.251	10	84275	12
3/4	1/2	0.306	10	84750	12
3/4	3/4	0.322	10	84280	12
1	1/2	0.450	5	84755	12
1	3/4	0.441	5	84760	12
1	1	0.541	5	84285	12
1 1/4	1/2	0.679	1	84765	12
1 1/4	3/4	0.703	1	84770	12
1 1/4	1	0.789	1	84775	12
1 1/4	1 1/4	0.705	1	84290	12
1 1/2	1/2	0.864	1	84780	12
1 1/2	3/4	0.882	1	84785	12
1 1/2	1	0.976	1	84790	12
1 1/2	1 1/4	0.886	1	84795	12
1 1/2	1 1/2	0.967	1	84295	12
2	3/4	1.168	1	84800	12
2	1	1.254	1	84805	12
2	1 1/2	1.217	1	84810	12
2	2	1.358	1	84300	12



**Viega MegaPress adapter
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components
FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4812XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.036	1	26655	12
3	3	2.623	1	26660	12
4	4	3.557	1	26665	12

Flanges



New

**Viega MegaPress flange
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components
FKM sealing element

Model 5959.5

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1/2	4	2 3/8	1.400	1	84845	12
3/4	4	2 3/4	1.849	1	84850	12
1	4	3 1/8	2.473	1	84855	12
1 1/4	4	3 7/8	3.006	1	84860	12
1 1/2	4	3 1/2	4.022	1	84865	12
2	4	4 3/4	5.907	1	84870	12

BP = bolt pattern
BPd = bolt pattern diameter



**Viega MegaPress flange
Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components
FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4859.5XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2 1/2	4	5 1/2	8.157	1	26775	12
3	4	6	9.933	1	26780	12
4	8	7 1/2	13.198	1	26785	12

BP = bolt pattern
BPd = bolt pattern diameter

Caps



New

Viega MegaPress cap
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing element

Model 5956

P	Wt [lb]	Quantity	Part No	DG
1/2	0.207	10	84100	12
3/4	0.271	10	84105	12
1	0.406	5	84110	12
1 1/4	0.635	1	84115	12
1 1/2	0.838	1	84120	12
2	1.113	1	84125	12



Viega MegaPress cap
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4856.1XL

P	Wt [lb]	Quantity	Part No	DG
2 1/2	1.494	1	26760	12
3	1.697	1	26765	12
4	2.707	1	26770	12

Unions



New

Viega MegaPress union
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM flat gasket, FKM sealing elements

Model 5960

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.771	5	84815	12
3/4	3/4	1.217	5	84820	12
1	1	1.415	5	84825	12
1 1/4	1 1/4	2.468	1	84830	12
1 1/2	1 1/2	2.722	1	84835	12
2	2	4.331	1	84840	12

Couplings



New

Viega MegaPress coupling
With stop
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Model 5915

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	84215	12
3/4	3/4	0.350	10	84220	12
1	1	0.529	5	84225	12
1 1/4	1 1/4	0.875	1	84230	12
1 1/2	1 1/2	1.164	1	84235	12
2	2	1.472	1	84240	12



Viega MegaPress coupling
With stop
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

FKM sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4815XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.880	1	26670	12
3	3	2.367	1	26675	12
4	4	3.928	1	26680	12



New

Viega MegaPress coupling
No stop
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 FKM sealing elements
Model 5915.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.261	10	84130	12
¾	¾	0.344	10	84135	12
1	1	0.533	5	84140	12
1¼	1¼	0.873	1	84145	12
1½	1½	1.155	1	84150	12
2	2	1.471	1	84155	12



Viega MegaPress coupling
No stop
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 FKM sealing elements
Note
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator
Model 4815.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.904	1	26685	12
3	3	2.374	1	26690	12
4	4	3.945	1	26695	12

Reducers



New

Viega MegaPress reducer
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Street, press connection
Components
 FKM sealing element
Model 5915.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.273	5	84160	12
1	½	0.370	5	84165	12
1	¾	0.403	5	84170	12
1¼	¾	0.641	1	84175	12
1¼	1	0.699	1	84180	12
1½	¾	0.741	1	84185	12
1½	1	0.815	1	84190	12
1½	1¼	0.946	1	84195	12
2	1	1.016	1	84200	12
2	1¼	1.206	1	84205	12
2	1½	1.311	1	84210	12



Viega MegaPress reducer
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Street, press connection
Components
 FKM sealing element
Note
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator
Model 4815.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	1	1.181	1	26700	12
2½	1¼	1.305	1	26705	12
2½	1½	1.411	1	26710	12
2½	2	1.492	1	26715	12
3	1¼	1.770	1	26720	12
3	1½	1.880	1	26725	12
3	2	1.959	1	26730	12
3	2½	1.955	1	26735	12
4	1½	3.075	1	26740	12
4	2	3.110	1	26745	12
4	2½	3.037	1	26750	12
4	3	3.262	1	26755	12

Valves



New

Viega MegaPress 3-piece ball valve
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - 316 stainless steel valve/Carbon steel press ends
 - Press connection
Components
 FKM sealing elements
Model 5975.8

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	2.085	1	86400	12
¾	¾	3.570	1	86405	12
1	1	4.919	1	86410	12
1¼	1¼	5.715	1	86415	12
1½	1½	8.441	1	86420	12
2	2	8.739	1	86425	12

Tools



RP 340 standard press tool kit, MegaPress
 - For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

Components

Ridgid 340 tool, MegaPress jaw sizes 1/2" to 1", battery, battery charger, branded soft-sided case

Model 2880.7

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	28.992	1	56012	16



V2 Actuator press jaw set
 - For Ridgid standard tools, Viega MegaPress connections 1/2" to 2"

Components

V2 actuator, MegaPress jaw sizes 1/2" to 1", MegaPress rings sizes 1 1/4" to 2", branded soft-sided case

Model 2880.71

for d	Wt [lb]	Quantity	Part No	DG
1/2-2	48.986	1	56013	16



RP 340 standard press tool
 - For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

Components

Ridgid 340 tool, battery, battery charger, hard case

Model 2980.71

for d	Wt [lb]	Quantity	Part No	DG
Jaws not included	22.854	1	56024	16



Viega MegaPress XL PressBooster
 - For Viega MegaPress connections 2 1/2", 3", 4"

Components

XL PressBooster, 2 1/2" press ring, shoulder strap, hard case

Note

Capable of pressing 3" and 4" connections with the purchase of additional press rings

Model 4896.2XL

for d	Wt [lb]	Quantity	Part No	DG
2 1/2-4	37.027	1	26200	16



Viega MegaPress press ring set, 3" and 4"
 - For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

Components

3" and 4" MegaPress rings, hard case

Model 4896.5XL

for d	Wt [lb]	Quantity	Part No	DG
3-4	21.599	1	26201	16

Accessories



Flange bolt set

- For adapter flange
- Galvanized carbon steel

Components

Bolt, nut, washer

Model 2959.7

L [in]	W [in]	Bolts	Flange	Wt [lb]	Quantity	Part No	DG
2½	½	4	½, ¾, 1, 1¼, 1½	0.871	1	19748 ¹	8
2¾	⅝	4	2, 2½, 3	1.572	1	19758 ²	8
2¾	⅝	8	4	3.141	1	19763 ³	8

¹⁾ Suitable for Viega MegaPress flange Part No 25760, 25765, 25770, 25775, 25780, 90440, 90445, 90450, 90455, 95440, 95445, 95450, 95455, Viega MegaPressG flange Part No 25761, 25766, 25771, 25776, 25781, Viega ProPress adapter flange Part No 81035, 81040, 81045, 81050, 81055, 86082, 86087, 86092, 86097, 86102, Viega ProPress adapter flange, 2 - pc Part No 79680, 79685, 79690

²⁾ Suitable for Viega MegaPress flange Part No 25785, 90460, 95460, Viega MegaPressG flange Part No 25786, Viega ProPress adapter flange Part No 81060, 81065, 81070, 86067, 86072, 86107, Viega ProPress adapter flange, 2 - pc Part No 20853, 20858, 79695

³⁾ Suitable for Viega ProPress adapter flange Part No 81075, 86077, Viega ProPress adapter flange, 2 - pc Part No 20863



Viega MegaPress valve repair kit

- Not suitable for Viega ProPress 3-piece ball valves
- Use with Viega MegaPress 3-piece ball valve Model 4175.8, 4875.8, 5175.8, 5975.8
- PTFE

Components

PTFE stem seals, PTFE ball seats

Model 4875.91

d	Wt [lb]	Quantity	Part No	DG
½		1	86560	14
¾		1	86565	14
1		1	86570	14
1¼		1	86575	14
1½, 2		1	86580	14

New



Replacement handle

- Use with Viega MegaPress 3-piece ball valve Model 4175.8, Viega ProPress 3-piece ball valve Model 4370.8, Viega MegaPress 3-piece ball valve Model 4875.8, 5175.8, 5975.8
- 316 stainless steel

Model 4875.80

Valve Size (CTS)	Valve Size (IPS)	Wt [lb]	Quantity	Part No	DG
¾	½		1	86625	14
1	¾		1	86600	14
1¼	1		1	86605	14
1½, 2	1¼, 1½, 2		1	86630	14

New

