



ENVIRO

Item Number 4684593

The ENVIRO is our entry-level model for the recovery of refrigerants. The oil-free, air-cooled compressor ensures efficient and fast work. The suction process is controlled with just one button. The compact and ergonomic design offers highest work safety and protection.

- Powerful motor
- Oil- and maintenance-free compressor
- Equipped with overfill protection (80%) and self-cleaning mode
- Easy filter change
- Special compartment for moisture filter
- Factory revision and extensive spare parts available

Technical Data

| | |
|-------------------------|---|
| Color | green |
| Standards | EN 55014-1:2006+A1:2009_A2:2011; EN 55014-2:1997+A1:2001+A2:2008; EN 61000-3-2:2014, EN 61000-3-3:2013; EN 60335-1:2012+AC:2014; EN 60335-2-40:2003+A13:2012+AC:2013; EN 62233:2008+AC:2008 EN 1012-1:2010 EN ISO 12100:2010 EN 62321:2008 |
| RoHS Conformity | Yes |
| Connector A | 1/4" SAE |
| Connector B | 1/4" SAE |
| Working Pressure | 558 psi |
| Refrigerant(s) | R12 R22 R401A R401B R402B R402A R404A R407A |

Acknowledged globally



| | |
|------------------------------------|--|
| | R407C R407D R408A R407B R401C R406A R134a R409A R410A R411A R412A R502 R507 R411B R509 more R123 |
| Operating Temperature Range | 32 - 104° F |
| Number of Pistons | 1 |
| Voltage | 115 VAC |
| Frequency | 60Hz |
| Protection Class | I |
| Ingression Protection | IP30 |
| Energy Consumption | 7.5 HP |
| Speed | 1,450 rpm |
| Packaging | Cardboard box |
| Current | 5A |

Accessories

| | | |
|---------|-----------|---|
| 4493622 | CA-CCL-60 | Set of 3 charging hoses with ball valve, 1/4" SAE, 60"/150 cm blue, red & yellow, 1x straight 1/4" SAE, 1x straight with ball valve 1/4" SAE and core depressor |
| 9881276 | CCL-60 | Set of 3 charging hoses, 1/4"SAE, 60"/150 cm blue, red & yellow, 1x straight 1/4" SAE, 1x bended 1/4" SAE with core depressor |
| 4686959 | REF-CYL | Lightweight refrigerant cylinder Capacity: 26.2l, connections: W 21.7 x 1/14" |
| 9884820 | K1-9/5 | Adapter with gasket for large refrigerant cylinders, 5 pieces Thread: 21.8-14 G x 1/4" SAE |
| 4687475 | K1-9-LH/5 | Adapter with gasket for flammable gases, 5 pieces Thread: W 21.8-14 G-LH x 1/4" SAE |
| 9881865 | 10859 | Venting hose, yellow, 5 m, connection: 3/8" SAE |

Spare Parts

| | | |
|---------|---------|---|
| 4686720 | SFD-1/4 | Filter drier for ENVIRO recovery stations |
|---------|---------|---|

REFCO Manufacturing (US) Inc.

66 B Industry Avenue
Springfield MA 01104

Phone 413 739 4761
Fax 413 733 9267

sales@refcoswiss.com

Certificate
ISO 9001 / ISO 14001

Acknowledged globally



4686719

ENVIRO-SCREEN Inlet filter screen for ENVIRO recovery stations